

To: Horvath, Kathleen[khorvath@pa.gov]; Moore, Brian[briamoore@pa.gov]
Cc: Scheetz, Lynne[lscheetz@pa.gov]; Chescattie, Edgar[echescatti@pa.gov]; Shaul, Thomas[tshaul@pa.gov]; Anderson, Angela[anganderso@pa.gov]; Fridirici, H. Thomas[hfridirici@pa.gov]; Daniels, Lisa[ldaniels@pa.gov]; Embeck, Mark[membeck@pa.gov]; Rathfon, Anthony[arathfon@pa.gov]; Krueger, John[jkrueger@pa.gov]; Kunkel, Summer[sukunkel@pa.gov]; Leib, Kerry[kleib@pa.gov]; Nesmith, Rodney[rnesmith@pa.gov]; Conrad, Robert[roconrad@pa.gov]; Landis, Victor[vlandis@pa.gov]; Bebenek, Maria[mbebenek@pa.gov]; StateEOC, Pennsylvania[stateeoc@pa.gov]; Langer, Lynn[l langer@pa.gov]; Repetz, John[JREPETZ@pa.gov]; Ham, Greg[Ham.Greg@epa.gov]; Kim Frank[kfrank@adamscounty.us]
From: John Eline
Sent: Fri 6/12/2015 2:20:17 PM
Subject: RE: Miller Chemical Fire: Safe Drinking Water Update / Status Update 6-11-15
[removed.txt](#)

Kathleen:

Thank you very much for reaching out to Ex. 6 - Personal Privacy So there was contact between Miller Chemical and the lessee. I believe it would be good for Miller Chemical and Whisler to talk so that he can better communicate his concerns but I am still interested in a roundtable discussion with him and other nearby property owners regarding short term and long term soil impacts and what happens next.

If there's agreement, who all should be involved?

Can we keep this moving forward?

Thank you,

John E.

Adams County


From: Horvath, Kathleen [mailto:khorvath@pa.gov]
Sent: Friday, June 12, 2015 9:42 AM
To: John Eline; Moore, Brian; Leib, Kerry; Nesmith, Rodney; Conrad, Robert; Landis, Victor; Bebenek, Maria; StateEOC, Pennsylvania; Langer, Lynn; Repetz, John; Greg Ham; Kim Frank
Cc: Scheetz, Lynne; Chescattie, Edgar; Shaul, Thomas; Anderson, Angela; Fridirici, H. Thomas; Daniels, Lisa; Embeck, Mark; Rathfon, Anthony; Krueger, John; Kunkel, Summer
Subject: RE: Miller Chemical Fire: Safe Drinking Water Update / Status Update 6-11-15

I just spoke with Ex. 6 - Personal Privacy and discussed Miller Chem obtaining relief of env liability under Act 2. I understand there was some confusion re: the true property owner since Ex. 6 - Personal Privacy has rented out the fields for quite a while and it appears it was the lessee who gave permission to dig the trenches.

He is expecting an agreement today from Miller re: access to his property. I got the impression he would feel much more comfortable dealing w/Miller if the agreement does come today.

I am available next Mon thru Wed for an on-site mtg.

Kathleen G. Horvath, P.G. | Land Recycling Chief
Dept of Environmental Protection | Environmental Cleanup and Brownfields
909 Elmerton Avenue | Harrisburg, PA 17110
Phone: 717.705.4866 | Fax: 717.705.4830
www.depweb.state.pa.us | "Land Recycling" Program



From: John Eline [<mailto:jeline@adamscounty.us>]

Sent: Friday, June 12, 2015 9:30 AM

To: Moore, Brian; Leib, Kerry; Nesmith, Rodney; Conrad, Robert; Landis, Victor; Bebenek, Maria; StateEOC, Pennsylvania; Langer, Lynn; Repetz, John; Greg Ham; Kim Frank

Cc: Scheetz, Lynne; Chescattie, Edgar; Shaul, Thomas; Anderson, Angela; Fridirici, H. Thomas; Daniels, Lisa; Embeck, Mark; Rathfon, Anthony; Horvath, Kathleen; Krueger, John; Kunkel, Summer

Subject: RE: Miller Chemical Fire: Safe Drinking Water Update / Status Update 6-11-15

Brian, et. al.:

As I told you late yesterday, I was contacted by one of the land owners to the north/northwest of the Miller Chemical site Ex. 6 - Personal Privacy He found out, after the fact, that cleanup crews were on his family property with heavy machinery. He said that he met Mr. Svec, Miller Chemical, who at first said that the family was notified, then later apologized. He's a bit skeptical of the company's willingness to be upfront with them and other nearby property owners.

He is asking for a face-to-face meeting with DEP, Miller, myself, agricultural officials (state & local) to talk about what happens now and what are the short term and long term expectations and impacts.

He's not a irrational man, or at least our conversation was positive and I shared what I could with him. He has a lot of concerns about the New Oxford water situation aside from the farm land issues (he's not on N.O.M.A. water though. He just wanted to talk about it.

I am strongly urging that we have a meeting with him and his neighbors whose land may have been impacted by the runoff. He says he's not out to play the 'blame game' he just wants to know how move forward and wants to know what Miller's plan is and what DEP will require of the company and what the state and other government agencies will be doing moving forward.

Can we consider setting up a meeting with these folks early next week?

Can we do this so that we only have those land owners impacted by the runoff in the immediate vicinity of the plant? Can we keep the media out of this? Should we? (My preference!)

This is just another 'hot button' at this time and I fully realize that things are happening on numerous fronts...kind of like the "Whack-a-mole" children's game!

Please advise. I'm in the office all day. (Office: 717-334-8603) (Cell: 717-752-5190)

By the way, thanks for the press release. Again, this is very helpful.

John Eline

Adams County EMA

From: Moore, Brian [<mailto:briamoore@pa.gov>]

Sent: Thursday, June 11, 2015 7:39 PM

To: Leib, Kerry; Nesmith, Rodney; Conrad, Robert; Landis, Victor; Bebenek, Maria; StateEOC, Pennsylvania; Langer, Lynn; Repetz, John; Greg Ham; John Eline; Kim Frank

Cc: Scheetz, Lynne; Chescattie, Edgar; Shaul, Thomas; Anderson, Angela; Fridirici, H. Thomas; Daniels, Lisa; Embeck, Mark; Rathfon, Anthony; Horvath, Kathleen; Krueger, John; Kunkel, Summer

Subject: RE: Miller Chemical Fire: Safe Drinking Water Update / Status Upadate 6-11-15

All,

I have talked with all of you over the past several days and wanted to provide another update from the site. I just returned from Miller Environmental and here is the current status.

- 1) Interceptor trenches have been dug on both sides of the drainage swale which has the contaminated runoff in it. Their purpose is to keep clean water from entering the swale and they will be directed or pumped to Slegel's Run.
- 2) A large containment pit has been dug in the drainage swale approximately 100 yards from Slegel's Run. This pit is approximately 15' wide 8' deep and 100' long. There is a stone dust/sand filter at the upper end of it. With that pit in place no runoff was entering Slegel's Run while I was onsite. The stream looked clear. If the containment measures are able to withstand a thunder storm event without putting a slug of material into the stream we will be in good shape moving forward.
- 3) A 1 million gallon temporary tank is en route to the site and will be assembled over the next several days. This will allow EP & S to remove water from the drainage swale and stage it for disposal off site.
- 4) Environ has completed a sampling plan for monitoring the streams and our Clean Water program is reviewing it.
- 5) Samples are expected back from the laboratory regarding the waste analysis of the water currently stored in frac tanks and EP & S is exploring disposal options. I indicated to them that waiting until the middle of next week to start moving material is unacceptable and that I expect them to be moving waste offsite over the weekend. I did say that if they had sites they want to use that we can help them by communicating the severity of the situation to the disposal site and working with them regarding acceptance of the material, rather than go through the 3-5 business day process.
- 6) The building is being demolished and the half burned chemicals inside the plant are being staged and characterized for disposal.

There are still variables that need to be addressed going forward however with the press release

going out, the containment in place, the progress towards getting an offsite disposal location and the current condition of Slegel's Run there are a few positives today. We will still need to address the soil contamination onsite and in the swale, as well as determine if the current containment is effective through a storm event and then determine when the Conewago is clean enough to be used as a water supply. We will also need to look at the private citizens who have contacted the Department and evaluate their concerns, I anticipate doing that with Greg Ham w/ the EPA tomorrow.

If anyone has any questions or would like additional information please feel free to contact me directly.

Brian

Brian L. Moore | Manager

Emergency Response Program

Department of Environmental Protection

909 Elmerton Avenue | Harrisburg, PA 17110

Phone: 717.705.4741 | Fax: 717.705.4890

www.depweb.state.pa.us

The 24-hour toll free Emergency Response number for the SCRO is: 866-825-0208

From: Moore, Brian

Sent: Tuesday, June 09, 2015 7:24 PM

To: Leib, Kerry; Nesmith, Rodney; Conrad, Robert; Landis, Victor; Bebenek, Maria; StateEOC, Pennsylvania; Langer, Lynn; Repetz, John; Greg Ham; jeline@adamscounty.us; kfrank@adamscounty.us

Cc: Scheetz, Lynne; Chescattie, Edgar; Shaul, Thomas; Anderson, Angela; Fridirici, H. Thomas; Daniels, Lisa; Embeck, Mark; Rathfon, Anthony; Horvath, Kathleen; Krueger, John; Kunkel, Summer; Moore, Brian

Subject: Miller Chemical Fire: Safe Drinking Water Update / Status Upadate 6-9-15

All,

I wanted to provide a summary of the meetings and conference calls I've been involved with today and provide that to all programs and also PEMA. I will try and summarize what has been a day full of discussions with multiple programs, agencies, and companies. If I miss something that has been discussed in a program meeting please feel free to provide updated information.

- As of approximately 12 pm today (6/9/15) firefighting activities at Miller Chemical and Fertilizer were stopped and the facility was turned over to company for their insurance personnel to inspect the site and prepare for demolition. Environmental Products and Services has been onsite since yesterday, 6/8/15, attempting to collect as much runoff water as possible. Estimates from Hannover Borough water say that approximately 3.8 million gallons of water was used during the firefighting operations. EP & S has been able to collect approximately 250,000 gallons. The rest of that water traveled just over ½ mile through drainage swales and farm fields ditches and entered or is in the process of entering an Unnamed Tributary to the South Branch of the Conewago locally referred to as 'Slagle's Run'. The runoff water is very visible and is colored dark purple to brown/black in the water.

- Two water intakes are affected by the runoff. One, in Slagel's Run, is a backup, secondary, intake used by Hanover Borough, the intake has not been used since it was exercised in April and it is not anticipated to be needed until August. The valves to the pump station are closed to prevent any back flow from entering and potentially contaminating the intake. The second, in the South Branch of the Conewago, is the main source of drinking water for the New Oxford Municipal Authority (NOMA). That intake was closed as of 08:35 on 6/8/15 and is not believed to be impacted by the runoff. An emergency sample kit was used in the clear well of the water plant and **preliminary** results from the DEP laboratory indicate that it was not impacted.

- New Oxford Municipal Authority does have an interconnection with the York Water Company which was installed to provide a back up to the water intake in the event it was unusable, such as now. That interconnection is capable of providing 576,000 gallons of water per day to NOMA. The current usage by NOMA is approximately 700,000 gallons per day. The difference is currently being made up with water from NOMA's storage tanks. At approximately 10:30 on 6/9/15 NOMA issued mandatory water restrictions asking for residents and business to reduce their water usage (similar to what would be in place during a drought). NOMA also informed the Department on 6/9/15 that they had between 2 and 3 days of storage left in their tanks at their current usage. Alternatives are being explored with the York Water Company for them to provide NOMA with additional water however, they are being limited by the infrastructure currently in place in the NOMA system, specifically the size of the pipes and their ability to take additional pressure without causing a water main break. York Water and NOMA are working through those issues and I anticipate the Department receiving an update from them

on 6/10/15. Other potential alternatives being explored, such as trucking water and/or reducing or cutting flows to commercial and industrial customers, however they are likely worst case scenario's.

- An emergency sample kit was used at Slagel's Run on 6/8/15. The **preliminary** results are consistent with runoff from a chemical and fertilizer fire ie: elevated levels of nutrients and metals as well as some herbicides, volatile organic compounds and very high Total Organic Carbon. The samples results showed concentrations which are above Maximum Contaminant Levels and are not able to be removed by the NOMA filter plant essentially making the water intake and plant useless until contamination has passed by the plant. At this point in time there is no time table for that to happen as it is going to be dependent on the flow through the swale and ditches. There are also concerns that the contaminants are in the soil in the swales and ditches and that even when dry they may continue to flow into Slagel's Run during rain events.
- I have been in contact with Miller Chemical and Fertilizer as well as their pollution prevention contractor hired by their insurance company. Both the company and the contractor have been made aware of the impacts to the water systems and the need to eliminate the flow of the contaminants into Slagel's Run. As of 18:35 on 6/9/15 they are trying to dam the swales with sand in an attempt to filter the runoff as well as pump as much as possible out. They are also looking to try and divert the runoff into a field as opposed to Slagel's Run and are working with nearby property owners. Additionally, they have discussed scraping and removing the contaminated soil from the swales and ditches.
- A meeting/conference call between Southcentral Regional Staff, Adams County EMA, EPA On Scene Coordinators Office and Miller Chemical and Fertilizer is anticipated to take place tomorrow, 6/10/15, in the morning to discuss cleanup plans proposed by the consultants. (The EPA on scene coordinators office has been briefed on the situation in the event the incident has long term implications and additional assistance is needed.)

The main summary is that until the contamination stops flowing into Slagel's Run and the contaminants are reduced in the South Branch of the Conewago the intake for NOMA (and Hannover Borough) is unable to be used. The potential for long term impacts from rain events continuing to wash contaminants into Slagel's Run is also a concern however in my initial discussions with Miller Chemical and Fertilizer and their consultants they *seem* to understand the potential impacts to NOMA and are willing to do what is necessary to alleviate the issue.

Following the meeting with Miller Chemical and Fertilizer and talk with NOMA and York water and additional update will be provided. I do not anticipate having something concrete until tomorrow afternoon at the earliest.

If anyone has any other questions please feel free to contact me directly. Again, if any of the programs has additional or updated information to provide please feel free to provide it. I did not get into specifics on the sample results as the final results have not been received.

Thanks

Brian

Brian L. Moore | Manager

Emergency Response Program

Department of Environmental Protection

909 Elmerton Avenue | Harrisburg, PA 17110

Phone: 717.705.4741 | Fax: 717.705.4890

www.depweb.state.pa.us

The 24-hour toll free Emergency Response number for the SCRO is: 866-825-0208

PRIVILEGED AND CONFIDENTIAL COMMUNICATION The information transmitted is intended only for the person or entity to whom it is addressed and may contain confidential and/or privileged material. Any use of this information other than by the intended recipient is prohibited. If you receive this message in error, please send a reply e-mail to the sender and delete the material from any and all computers.